## NEW!




## Trinovid HD 42.

Always ready for use – spots every single detail.









Julian Aberle, Process Engineer (Leica Production): "From now on I will never go on a trip without the Trinovid HD. Whether on holidays, on tours or on walks - there are surprising and fascinating observations waiting everywhere. When the time comes, I want to see more right away. The Leica Trinovid HD binoculars have been specifically developed for fast and universal use. They offer high optical quality and at the the same time they are extremely rugged. Best of all, the package includes the new Adventure-Strap. Thanks to this sophisticated neoprene carrying system, my Trinovid HD can be carried comfortably and it is always at hand at the moment I need it - and it can be stored again just as easily. These lightweight binoculars are easy to handle and don't weigh down my gear."

Find out more at blog.leica-birding.com

## Always at hand – in every situation. For a better and quicker overview.

The new Trinovid HD boasts high optical performance and is also extremely rugged. A sophisticated neoprene carrying system ensures comfortable handling and enables quick access and safe storage. Thanks to reliable Leica optics, the Trinovid HD offers exceptional contrast, brilliant colour fidelity and optimum light transmission. The high-traction rubber armouring makes the binoculars extremely resilient and guarantees perfect grip in all weather conditions. Put together, this gives you even more breathtaking visual experiences - anytime and anywhere.

- \_\_\_\_ premium Leica optics for high-contrast, pin-sharp viewing images and superior colour fidelity
- \_\_\_\_ innovative carrying system for quick and comfortable use
- \_\_\_\_ compact construction perfectly balanced and lightweight
- \_\_\_\_ models: Trinovid 8 x 42 HD and Trinovid 10 x 42 HD



LEICA TRINOVID 10 x 42 HD



Binoculars	Leica Trinovid 8 x 42 HD	Leica Trinovid 10 x 42 HD
Front lens diameter	42 mm	42mm
Magnification	8 x	10 x
Exit pupil	5.25 mm	4.2mm
Eye relief	17mm	15 mm
Close-focusing limit	1.8 m	1.6 m
Field of view	124 m	113 m
Transmission	90%	90%
Interpupillary distance	58-76 mm	58-76 mm
Weight	730 g	730 g
Dimensions (WxHxD)	117x 140 x 65 mm	117 x 140 x 65 mm
Waterproof	4 m	4 m
Order-no.	40 318	40 319
	static state	AND STREET

Find out more at www.leica-sportoptics.com



Includes innovative carrying system Adventure-Strap

With Leica, your trip becomes an unforgettable experience



Leica Camera AG | Am Leitz-Park 5 | 35578 WETZLAR | GERMANY Phone +49(0)6441-2080-0 | Fax +49(0)6441-2080-333 | www.leica-sportoptics.com

© 2015 Leica Camera AG I We reserve the right to make modifications to the construction, features and ranges without prior notice. Materials and colors may differ from those shown in printed illustrations I Concept and design: con-vergence Werbeagentur GmbH, Kempen I Order-no. 25 199 German, Order-no. 25 200 English, Order-no. 25 201 French, Order-no. 25 202 Italian